



# Sample Exam Questions

## Unit – First Aid at Work

- 1 **When should you place a casualty in the recovery position?**
  - a) When the casualty is not breathing normally
  - b) When the casualty is responsive and alert
  - c) When the casualty is breathing normally but unconscious
  - d) When the paramedics arrive
  
- 2 **During an asthma attack, the sufferer should take medication:**
  - a) Only from their own inhaler
  - b) When you think it fit
  - c) From any inhaler given to them
  - d) Only when told by a paramedic
  
- 3 **Coughed up bright red, frothy blood would indicate injury to the:**
  - a) Stomach
  - b) Lungs
  - c) Liver
  - d) Small intestine
  
- 4 **Which of the following could indicate that a casualty was suffering from shock?**
  - a) Flushed, cold clammy skin and rapid weak pulse
  - b) Pale, cold clammy skin and slow strong pulse
  - c) Pale, warm skin and slow strong pulse
  - d) Pale, cold clammy skin and rapid weak pulse
  
- 5 **A conscious casualty who has swallowed bleach should be:**
  - a) Encouraged to vomit
  - b) Sat down, given sips of water and taken to hospital
  - c) Told to go to the doctor
  - d) Placed in the recovery position
  
- 6 **A casualty with clear fluid spotted with blood coming from the ears could be suffering from:**
  - a) Concussion
  - b) Ear infection
  - c) Foreign body in the ear
  - d) Skull fracture





**Linx Training Ltd**

**Head Office:** Craneshaw House, 8 Douglas Road, Hounslow, Middlesex TW3 1DA  
**Telephone:** 0208 166 1593 **Website:** [www.linxtraining.co.uk](http://www.linxtraining.co.uk)

